

RECEIVED
CENTRAL FAX CENTER

AUG 20 2008

Docket No. F-8917

Ser. No. 10/559,803

AMENDMENTS TO THE CLAIMS:

Please replace the claims with the claims provided in the listing below wherein status, amendments, additions and cancellations are indicated.

1.-3.(Canceled)

4.(Currently Amended) A bifocal plastic lens comprising a small lens for short-range view,

wherein a preparatory lens member having the small lens protruded on a convex surface side is molded from a resin comprising an episulfide resin having a refractive index of not smaller than 1.66 (nd) and another resin having a lower refractive index compared with the preparatory lens member is cast and cured so as to adhere to the surface provided with the small lens of the preparatory lens member and to be integrated with the preparatory lens member, resulting in that all over the surface provided with the small lens is covered by the resin having lower refractive index and the small lens is incorporated into the resulting bifocal lens in such a manner that the small lens does not cause a protrusion to form on any external surface of the resulting bifocal lens.

a concave surface side of the preparatory lens member is employed as a surface having a corrective refractive power, and

Docket No. F-8917

Ser. No. 10/559,803

~~The the bifocal plastic lens according to claim 7,~~ having an interface between the convex surface of the preparatory lens and the resin adhered to the convex surface of the preparatory lens wherein at least a part of the interface by a peripheral edge portion of the small lens is chamfered with a curved surface having a curvature lower than the curvature by portions of the small lens other than the peripheral edge portion in order to prevent the edge of the small lens from being conspicuous.

5.(Previously Presented) The bifocal plastic lens according to claim 4, wherein at least one property for reducing a reflected light selected from coloring, matting and antireflection is given to a surface of the step generated on the boundary surface of the peripheral edge portion of the small lens.

6.(Canceled)

7.(Cancelled)

8.(Cancelled)

9.(Cancelled)

Docket No. F-8917

Ser. No. 10/559,803

10.(Currently Amended) A bifocal plastic lens comprising a small lens for short-range view.

wherein a preparatory lens member having the small lens protruded on a convex surface side is molded from a resin comprising an episulfide resin having a refractive index of not smaller than 1.66 (nd) and another resin having a lower refractive index compared with the preparatory lens member is cast and cured so as to adhere to the surface provided with the small lens of the preparatory lens member and to be integrated with the preparatory lens member, resulting in that all over the surface provided with the small lens is covered by the resin having lower refractive index and the small lens is incorporated into the resulting bifocal lens in such a manner that the small lens does not cause a protrusion to form on any external surface of the resulting bifocal lens.

and a concave surface side of the preparatory lens member is employed as a surface having a corrective refractive power; and

~~The bifocal plastic lens according to claim 7, further comprising a step, the small lens being truncated thereby forming a truncated edge, the step provided along the truncated edge of the small lens between the convex surface side of the preparatory lens and the resin adhered to the convex surface side of the preparatory lens, the step comprised of material having a refractive index such that a light ray~~

Docket No. F-8917

Ser. No. 10/559,803

incident on the step is reflected, and the curvature of the step is less than the curvature of the small lens.

11.(Cancelled)

12.(Previously Presented) The bifocal plastic lens according to claim 10, wherein the step at an interface between the step and the preparatory lens is characterized by a matte boundary surface.

13.(Previously Presented) The bifocal plastic lens according to claim 10, wherein the step is colored.

14.(Previously Presented) The bifocal plastic lens according to claim 4, wherein the chamfered curved surface has a curvature between 0.1 and 1 mm.

15.(Previously Presented) The bifocal plastic lens according to claim 4, wherein the chamfered curved surface is along the entire periphery of the small lens.

Docket No. F-8917

Ser. No. 10/559,803

16.(Previously Presented) The bifocal plastic lens according to claim 4, wherein the prepary lens consists of a single layer of resin.

17. (Cancelled)

18.(Currently Amended) The bifocal lens of claim 4, wherein the concave side of the bifocal lens may be ground to adjust a corrective power of the bifocal lens.

19.(Cancelled)